

Section I - Chemical Product and Company Identification

Manufacturers name	IKONICS Corporation
Address	4832 Grand Avenue, Duluth, MN 55807
Telephone number	218 628-2217 Customer Service
Emergency phone number	800 424-9300 Chemtrec USA / 703/527-3887 International (collect)
Product name	Blastable Adhesive Spray
Use	Adhesive Spray

Section II – Hazardous Ingredients

Ingredients	Percent	CAS#	OSHA PEL	ACGIH TLV	VAPOR PSI
There are no hazardous ingredients by reference to the O.S.H.A. Hazardous Communications Standard (29 CFR 1910.1200)	Not Applicable	-----	-----	-----	-----

Section III – Physical Data

Appearance	White liquid
Boiling point	Not Applicable
Weight (per gallon)	8.40 lb/gal.
Percent volatile (by wt)	78%
Solubility in water	100% water redispersible
Evaporation rate	Not Established
Vapor density	Not Established
VOC	Not Applicable

Section IV – Fire and Explosion Data

Flash point	>250° F
Extinguishing media	Foam, CO2, dry chemical, or water spray.
Unusual fire & explosion hazards	None.
Special fire fighting procedures	None.

Section V – Health Hazard Data

HMIS Codes	1-0-0-G&O	Minimal=0, Slight=1, Moderate=2, Serious=3, Severe=4
<i>Effects of overexposure</i>		
Eye contact	Moderate to severe irritation.	
Skin contact	Can cause drying of skin leading to irritation and dermatitis.	
Inhalation	Exposure to vapors in poorly ventilated areas may cause irritation.	
Ingestion	May cause irritation of gastrointestinal tract, vomiting, diarrhea, and drowsiness.	
<i>First aid emergency procedures</i>		
Eye	Flush with plenty of water for at least 15 minutes and seek medical attention.	
Skin	Wash with soap and water, should irritation occur, seek medical attention.	
Inhalation	Remove to fresh air.	
Ingestion	Drink water, do not induce vomiting.	

Section VI – Reactivity Data

Stability	Unstable ___ Stable <u>X</u>
Conditions to avoid	None known.
Incompatibility (materials to avoid)	None known.
Hazardous decomposition products	Not established.
Hazardous polymerization	May occur ___ Will not occur <u>X</u>

Section VII – Spill or Leak Procedures

Spill cleanup instructions	Dike if necessary. Stop leaks, clean up spills immediately. Soak up with inert absorbent material and place in labeled waste container for disposal. Provide adequate ventilation into spill area. Use proper PPE when cleaning up a spill.
Waste disposal method	Dispose of in accordance with federal, state, and local laws.

We make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state, or local laws. It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

Section VIII – Control Measures / Personal Protection

Engineering controls	Ventilation – Local exhaust recommended. Provide adequate ventilation as necessary.
<i>Personal Protection Equipment (PPE)</i>	
Gloves	Rubber, neoprene, or plastic gloves are required.
Eye	Personal eye protection is required. Chemical splash goggles or face shield.
Respiratory	Wear O.S.H.A. (29CFR 1910.134) protection as necessary. Do not breathe vapors or mists.
Where contact may occur	Use a face shield, impervious body coverings, and boots (if exposure is severe).
Safety shower and eyewash	Should be available.

Section IX – Handling and Storage

Handling and storage information	This product contains limited amounts of residual monomer. Under normal handling and use conditions the residual monomer should not present a hazard. In storage the monomer will migrate from the emulsion and establish equilibrium between the headspace in the storage container and the liquid emulsion. Levels in excess of acceptable exposures can accumulate in non-vented headspaces above the emulsion.
Other precautions	Industrial use only. Keep out of reach of children. Do not take internally. Avoid splashing in eyes.

Section X – Regulation Information

DOT classification	Not a DOT controlled material (United States).
TSCA	All ingredients are listed chemicals in the TSCA registry.
California (Prop 65)	This product contains chemical(s) known to the State of California to cause cancer (c) or reproductive (r) damage.
	Trace Propylene Oxide (c) 75-56-9 Listed October, 1, 1988
	Trace Acetaldehyde (c) 75-07-0 Listed April 1, 1988

Approved by: VP Technology, Toshi Komatsu 218 628-2217 ext.142

Notice to reader

(Approved by U.S. Department of Labor “Essentially Similar” to form OSHA-20)

The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer’s risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.